

**Section 1 - Identification of the Material and Supplier**

Scotts Australia Pty Ltd  
Building E, Level 2, 24-32 Lexington Drive  
Bella Vista NSW 2153  
152 Fanshawe St  
Auckland 1140, New Zealand

Phone: 02 8602 9000  
Emergency Phone: 1800 033 111  
Fax: 02 8602 9001

New Zealand Helpline: 0800 449 213

**Chemical nature:** Fertiliser containing bifenthrin  
**Trade Name:** Lawn Builder Plus Grub & Insect  
**APVMA Code:** 57766  
**Product Use:** Fertiliser granules containing insecticide for use as described on the product label.  
**Creation Date:** October, 2016  
**This version issued:** March, 2017 and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**

**Section 2 - Hazards Identification****Statement of Hazardous Nature**

This product is classified as: Xn, Harmful. N, Dangerous to the environment. Hazardous according to the criteria of SWA.

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg (L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply. Then the product is classed as Dangerous (Class 9 Environmentally Hazardous) by IATA and IMDG/IMSBC respectively. See details below and in Section 14 of this SDS.

**SUSMP Classification:** None allocated.

**ADG Classification:** Class 9: Miscellaneous Dangerous Goods.

**UN Number:** 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

**GHS Signal word: WARNING**

Acute Toxicity Oral Category 4

Skin Corrosion /Irritation Category 3

Serious eye damage/eye irritation Category 2/2A

Hazardous to aquatic environment Short term/Chronic Category 1

**HAZARD STATEMENT:**

H302: Harmful if swallowed.

H316: Causes mild skin irritation.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

**PREVENTION**

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves, protective clothing and eye or face protection.

**RESPONSE**

P335: Brush off loose particles from skin.

P362: Take off contaminated clothing and wash before reuse.

P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**SAFETY DATA SHEET**

Issued by: Scotts Australia Pty Ltd

Phone: 02 8602 9000

New Zealand Helpline: 0800 449 213

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

**STORAGE**

P410: Protect from sunlight.

**DISPOSAL**

P501: Dispose of contents and containers as specified on the registered label.

**Statement of Hazardous Nature (New Zealand)**

HSR1000671

6.3B: Substances that are mildly irritating to the skin.

6.4A: Substances that are irritating to the eye.

9.1A: Substances that are very ecotoxic in the aquatic environment.

9.4B: Substances that are ecotoxic to terrestrial invertebrates.

**There is a risk of paresthesia arising from the presence of bifenthrin in this product.**

**DG Classification:** Classified as a Dangerous Good for transport in accordance with the Land Transport Rule Dangerous Goods 2005 and NZS 5433:2007.

**Emergency Overview**

**Physical Description & Colour:** Granular solid, multicoloured granules.

**Odour:** Mild odour.

**Major Health Hazards:** Bifenthrin is harmful to mammals when ingested. Large doses may cause incoordination, tremor, salivation, vomiting, diarrhoea, and irritability to sound and touch. LD<sub>50</sub> for Bifenthrin is about 54 mg/kg in female rats and 70 mg/kg in male rats. The LD<sub>50</sub> for rabbits whose skin is exposed to Bifenthrin is greater than 2,000 mg/kg. Bifenthrin does not sensitize the skin of guinea pigs. Although it does not cause inflammation or irritation on human skin, it can cause a tingling sensation which lasts about 12 hours. It is virtually non-irritating to rabbit eyes. May cause serious damage to eyes, harmful if swallowed.

**Section 3 - Composition/Information on Ingredients**

Ingredients	CAS No	Conc, %	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Bifenthrin	82657-04-3	0.86	not set	not set
Urea	57-13-6	400-700	not set	not set
Calcium carbonate	471-34-1	100-150	10	not set
Potassium chloride	7447-40-7	50-100	not set	not set
Sulfur	7704-34-9	50-100	not set	not set
Other non hazardous ingredients	secret	to 1 kg	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

**Section 4 - First Aid Measures****General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Quickly and gently brush away excess particles. Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 10 minutes or until chemical is removed. If irritation persists, repeat flushing and obtain medical advice.

**Eye Contact:** Quickly and gently brush particles from eyes. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15 minutes or until the product is removed, while holding the eyelid(s) open. Take

**SAFETY DATA SHEET**

Issued by: Scotts Australia Pty Ltd

Phone: 02 8602 9000

New Zealand Helpline: 0800 449 213

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

## Section 5 - Fire Fighting Measures

**Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is little risk of an explosion from this product if commercial quantities are involved in a fire.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Not combustible. Use extinguishing media suited to burning materials. Water fog or fine spray is the preferred medium for large fires. Try to contain spills, minimise spillage entering drains or water courses.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

**Flash point:** No data

**Upper Flammability Limit:** No data.

**Lower Flammability Limit:** No data.

**Autoignition temperature:** No data.

**Flammability Class:** No data.

## Section 6 - Accidental Release Measures

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective chemically resistant clothing including eye/face protection, gauntlets and self contained breathing apparatus. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include no specific manufacturer recommendations. Use impermeable gloves with care. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable dust mask.

Stop leak if safe to do so, and contain spill. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Although this is classed as a Dangerous Good, you may not need a license to store it. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

## Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

**SWA Exposure Limits**

**TWA (mg/m<sup>3</sup>)**

**STEL (mg/m<sup>3</sup>)**

Calcium carbonate

10

not set

## SAFETY DATA SHEET

Issued by: Scotts Australia Pty Ltd

Phone: 02 8602 9000

New Zealand Helpline: 0800 449 213

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



The ADI for Bifenthrin is set at 0.01mg/kg/day. The corresponding NOEL is set at 1mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

**Eye Protection:** Protective glasses or goggles must be worn when this product is being used. Failure to protect your eyes may lead to severe harm to them or to general health. Emergency eye wash facilities must also be available in an area close to where this product is being used.

**Skin Protection:** You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material types.

**Protective Material Types:** There is no data that enables us to recommend any type except that it should be impermeable.

**Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable dust mask.

Eyebaths or eyewash stations and safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

## Section 9 - Physical and Chemical Properties:

<b>Physical Description &amp; colour:</b>	Granular solid, multicoloured granules.
<b>Odour:</b>	Mild odour.
<b>Boiling Point:</b>	Not available.
<b>Freezing/Melting Point:</b>	No specific data. Solid at normal temperatures.
<b>Volatiles:</b>	No data.
<b>Vapour Pressure:</b>	No data.
<b>Vapour Density:</b>	Not applicable.
<b>Specific Gravity:</b>	0.74 (bulk density)
<b>Water Solubility:</b>	Partially soluble.
<b>pH:</b>	No data.
<b>Volatility:</b>	No data.
<b>Odour Threshold:</b>	No data.
<b>Evaporation Rate:</b>	Not applicable.
<b>Coeff Oil/water Distribution:</b>	No data
<b>Viscosity:</b>	Not applicable.
<b>Autoignition temp:</b>	No data.

## Section 10 - Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** This product should be kept in a cool place, preferably below 30°C. Containers should be kept dry. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

**Incompatibilities:** No particular Incompatibilities.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. May form hydrogen chloride gas, other compounds of chlorine. Calcium compounds, potassium compounds, halogenated compounds, metal oxides. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** Polymerisation reactions are unlikely; they are not expected to occur.

## Section 11 - Toxicological Information

**Toxicity:** Bifenthrin is harmful to mammals when ingested. Large doses may cause incoordination, tremor, salivation, vomiting, diarrhoea, and irritability to sound and touch. LD<sub>50</sub> for Bifenthrin is about 54 mg/kg in female rats and 70 mg/kg in male rats. The LD<sub>50</sub> for rabbits whose skin is exposed to Bifenthrin is greater than 2,000 mg/kg.

### SAFETY DATA SHEET

Issued by: Scotts Australia Pty Ltd

Phone: 02 8602 9000

New Zealand Helpline: 0800 449 213

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)





Bifenthrin does not sensitize the skin of guinea pigs. Although it does not cause inflammation or irritation on human skin, it can cause a tingling sensation which lasts about 12 hours. It is virtually non-irritating to rabbit eyes.

**Chronic Toxicity:** No information Available.

**Reproductive Effects:** The dose at which no toxic effect of Bifenthrin is observed on the mother (maternal toxicity NOEL) is 1 mg/kg/day for rats and 2.67 mg/kg/day for rabbits. At higher doses, test animals had tremors. The dose at which no toxic effect is observed on development (developmental toxicity NOEL) is 1 mg/kg/day for rats and is greater than 8 mg/kg/day for rabbits.

**Teratogenic Effects:** Bifenthrin does not demonstrate any teratogenic effects at the highest levels tested (100 ppm, approximately 5.5 mg/kg/day) in a two-generational study in rats.

**Mutagenic Effects:** Evidence of mutagenic effects from exposure to Bifenthrin is inconclusive. Studies of mouse white blood cells were positive for gene mutation. However, other tests of bifenthrin's mutagenic effects, including the Ames test and studies in live rat bone marrow cells, were negative.

**Carcinogenic Effects:** There was no evidence of cancer in a 2-year study of rats that ate as much as 10 mg/kg/day of Bifenthrin. However, an 87 week feeding study of mice with doses of 7, 29, 71, and 86 mg/kg showed a significantly higher, dose related trend of increased tumour incidence in the male urinary bladder. The incidence was significantly increased at 86 mg/kg/day. Also, females had higher incidences of lung cancer than the controls at doses of 7 mg/kg and higher. The EPA has classified Bifenthrin as a class C carcinogen, a possible human carcinogen.

**Organ Toxicity:** Pyrethroids are poisons that affect the electrical impulses in nerves, over-stimulating nerve cells causing tremors and eventually causing paralysis.

**Fate in Humans and Animals:** Bifenthrin is absorbed through intact skin when applied topically. It undergoes similar modes of breakdown within animal systems as other pyrethroid insecticides. In mammals, Bifenthrin is rapidly broken down and promptly excreted. Rats treated with 4 to 5 mg/kg, excreted 70 % in the urine and 20% in the faeces within 7 days. After 7 days, the remaining Bifenthrin was found accumulated in tissues with high fat content such as the skin and fat in males and females and the ovaries of females. Bifenthrin is less toxic to warm-blooded animals, such as mammals, than to cold-blooded animals.

### Classification of Hazardous Ingredients

Ingredient	Risk Phrases
Bifenthrin	No risk phrases at concentrations found in this product
Sulfur	No risk phrases at concentrations found in this product
• Skin irritation - category 2	

### Potential Health Effects

#### Inhalation:

**Short Term Exposure:** Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

**Long Term Exposure:** Long term inhalation of high amounts of any nuisance dust may overload lung clearance mechanism. No data for health effects associated with long term inhalation.

#### Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product is believed to be mildly irritating, but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term skin exposure.

#### Eye Contact:

**Short Term Exposure:** This product is a severe eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms such as swelling of eyelids and blurred vision may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment is likely to cause permanent damage.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

#### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is harmful, but symptoms are not available. This product is unlikely to cause any irritation problems in the short or long term.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

### SAFETY DATA SHEET

**Carcinogen Status:****SWA:** No significant ingredient is classified as carcinogenic by SWA.**NTP:** No significant ingredient is classified as carcinogenic by NTP.**IARC:** No significant ingredient is classified as carcinogenic by IARC.**Section 12 - Ecological Information**

This product is toxic to fauna. Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

**Effects on Birds:** Bifenthrin is moderately toxic to many species of birds. The dietary concentration (8 day) at which half of the test animals die, the  $LC_{50}$ , is 1,280 ppm for mallard ducks and 4,450 ppm for bobwhite quail. The acute oral  $LD_{50}$  is 1,800 mg/kg for bobwhite quail and 2,150 mg/kg for mallard ducks. There is concern about possible bioaccumulation in birds.

**Effects on Aquatic Organisms:** Bifenthrin is very highly toxic to fish, crustaceans and aquatic animals. The  $LC_{50}$  after a 96-hour exposure is 0.15  $\mu\text{g/L}$  for rainbow trout, 0.35  $\mu\text{g/L}$  for bluegill, and 1.6  $\mu\text{g/L}$  for Daphnia. Because of its low water solubility and high affinity for soil, Bifenthrin is not likely to be found in aquatic systems.

**Effects on Other Animals (Nontarget species):** Bifenthrin is toxic to bees.

**ENVIRONMENTAL FATE**

**Breakdown of Chemical in Soil & Groundwater:** Bifenthrin does not move in soils with large amounts of organic matter, clay and silt. It also has a low mobility in sandy soils that are low in organic matter. Bifenthrin is relatively insoluble in water, so there are no concerns about groundwater contamination through leaching. Its half-life in soil, the amount of time it takes to degrade to half of its original concentration, is 7 days to 8 months depending on the soil type and the amount of air in the soil.

**Breakdown of Chemical in Vegetation:** Bifenthrin is not absorbed by plant foliage, nor does it translocate in the plant.

**Section 13 - Disposal Considerations**

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

**Section 14 - Transport Information**

**Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).**

**UN Number:** 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

**Hazchem Code:** 2Z

**Special Provisions:** 274, 331, 335, 375, AU01

**Limited quantities:** ADG 7 specifies a Limited Quantity value of 5 kg for this class of product.

**Dangerous Goods Class:** Class 9: Miscellaneous Dangerous Goods.

**Packing Group:** III

**Packing Instruction:** P002, IBC08, LP02

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

**New Zealand**

Classified as Dangerous Goods for transport in accordance with the Land Transport Rule Dangerous Goods 2005 and NZS 5433:2007.

**Section 15 - Regulatory Information**

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.

The following ingredient: Bifenthrin, is mentioned in the SUSMP.

**New Zealand:**

HSR100671

**SAFETY DATA SHEET**

Issued by: Scotts Australia Pty Ltd

Phone: 02 8602 9000

New Zealand Helpline: 0800 449 213

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



## Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

### Acronyms:

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>SWA</b>	Safe Work Australia, formerly ASCC and NOHSC
<b>CAS number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>R-Phrase</b>	Risk Phrase
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines & Poisons
<b>UN Number</b>	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)

Copyright © Kilford & Kilford Pty Ltd, March, 2017.

<http://www.kilford.com.au/> Phone (02)9251 4532

## SAFETY DATA SHEET